Technical Information

Beverage Stabilization SIHA® Active Bentonite G



SIHA Active Bentonite G fining agent from Eaton's Begerow Product Line is a special product for beverage fining and for removing positively charged albuminous substances from musts, wines, fruit juices, and vinegar.

The specific advantages of SIHA Active Bentonite G fining agent:

- Specially formulated for albumin adsorption in beverages
- Despite the higher swelling volume a compact lees depot is formed
- Besides protein adsorption, tannins are also removed to a certain extent

Application

SIHA Active Bentonite G fining agent can be used alone either for stabilizing protein or in combination as a clarification aid prior to gelatin silica sol fining. Due to its high activity, lower quantities are usually required in comparison to conventional bentonites when SIHA Active Bentonite G fining agent is used.

The high clarification and adsorption effectiveness of bentonite is based on the swelling properties of the individual bentonite particles. This increases the size of the inner surface many times over. In order to achieve this effect, SIHA Active Bentonite G fining agent should be vigorously stirred into a volume of water 3 to 5 times the quantity of SIHA Active Bentonite G the granulate is completely suspended. When stirred occasionally, SIHA Active Bentonite G fining agent will swell completely within a few hours (it is best to set the batch the day before fining). Supernatant water which may arise can be poured off.

Although it is generally possible to use bentonite without pre-soaking, the quantity required will increase since it has practically no time to swell.

The soaked bentonite is added to the product to be fined stirring constantly until it is uniformly distributed in the batch. SIHA Active Bentonite G fining agent intensively and rapidly adsorbs protein and sediment while quickly clarifying the product. The resulting sediment can be regenerated without difficulty by mixing in 0.5 – 2% of BECOCELTM 2000 filter cellulose and/or BECOLITETM 5000 perlites using a rotary filter or a sediment frame filter

Beverage to be fined	SIHA Active Bentonite G lb/1,000 gal (g/hl)
Wines with low protein content	2.5 - 8.35 (30 - 100)
Wines with moderate protein content	6.68 - 15.02 (80 - 180)
Wines with high protein content	12.52 - 20.86 (150 - 250)
Types/vintages extremely rich in protein	29.21 (350)
Heavily oxidized wines	1.67 - 12.52 (20 - 150)
Lees-recovery and yeast wine	8.35 - 29.21 (100 - 350)
Unfermented grape juices	12.52 - 25.04 (150 - 300)
Fruit juices	2.5 - 8.35 (30 - 100)
Aroma improvement	0.42 - 1.25 (5 - 15)
Fining of vinegar	4.17 - 10.01 (50 - 120)



Safety

When used as directed no negative effects are known.

Further safety information can be found in the relevant Material Safety Data Sheet, which can be downloaded from our website.

Storage

SIHA Active Bentonite G fining agent is produced and packed with special care. As it is a highly efficient adsorptive agent, it will adsorb off-flavors when stored inadequately. It should therefore be stored in carefully sealed packages in a dry and well-aerated area, free of off-odors.

Delivery Information

SIHA Active Bentonite G fining agent is sold under article no. 61.103 and is available in the following package sizes:

22.05 (10 kg) PE bucket 44.1 (20 kg) laminar foil sack

Certified Quality

SIHA Active Bentonite G fining agent is monitored regularly during the production process to ensure consistently high quality. These inspections cover technical function criteria as well as compliance with the law governing the production and sale of foodstuffs. Strict controls are also carried out immediately before and during final packing.

North America 44 Apple Street Tinton Falls, NJ 07724 Toll Free: 800 656-3344 (North America only) Tel: +1 732 212-4700

Europe/Africa/Middle East Auf der Heide 2 53947 Nettersheim, Germany Tel: +49 2486 809-0

Internormen Product Line Friedensstraße 41 68804 Altlußheim, Germany Tel: +49 6205 2094-0

Begerow Product Line An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0

China

No. 3, Lane 280, Linhong Road Changning District, 200335 Shanghai, P.R. China Tel: +86 21 5200-0099

Singapore

4 Loyang Lane #04-01/02 Singapore 508914 Tel: +65 6825-1668

Av. Julia Gaioli, 474 - Bonsucesso 07251-500 - Guarulhos, Brazil Tel: +55 11 2465-8822

For more information, please email us at filtration@eaton.com or visit www.eaton.com/filtration

© 2014 Eaton. All rights reserved. All trademarks and

EN 1 B 5.2.4

03-2015

registered trademarks are the property of their resp owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

